



Natural Stone

Dealers & Distributors Product Catalog

Quality, Consistency, & Integrity that you can always depend on.

Canyon Gray Natural

Page 2-3

Canyon Gray Split

Page 4-5

Canyon Tan

Page 6

Decorative Aggregates

Page 7

Elliot's Indiana Limestone

Page 8-9

Gray Gorge

Page 10-11

Cobbles/River Jacks

Page 11

Rustic Buff

Page 12-13

Southern Buff

Page 14-15

Rustic Buff Beige

Page 16

NEW!

NEW!



www.ohiostone.net

Ohio Stone Inc. • PO Box 67 • Belle Center, Ohio 43310-0067 • 937-464-9094 • Fax 937-464-9097

Canyon Gray

Quality, Consistency, & Integrity that you can always depend on.



Select Wall Stone

Thick 3"

3.5"-4" thick
(Pictured at left)

Min. bed depth 5" for all wall stone

Stone Family Details

A very light gray/olive green stone specializing in 6" - 8" slab material. This line also offers a premium Stream Restoration Stone

Natural Steps

6" thick + or -

Mini Steps/Treads

(Pictured at left)
2' - 3' Wide
18"-24" bed depth



Regular Steps/Treads

3' -4' Wide
Min. 20" bed depth

Large Steps/Treads

3' -4' Wide
Min. 20" bed depth

SPECIAL PRODUCT NOTE

Bed depth for all
Natural Steps varies

Jumbo Steps/Treads

(Pictured at left)
5' -6' Wide
Min. 20" bed depth



Slabs

5" - 6" thick
(Pictured at left)

6" - 8" thick

SPECIAL PRODUCT NOTE

Minimum bed depth for
all Slabs is 20"





SPECIAL PRODUCT NOTE

Minimum bed depth for
all Outcroppings is 1 ft

SPECIAL PRODUCT NOTE

Our Stream Restoration
Stone is the natural
choice for your erosion
control projects.

1,500 lb to 6,000 lb per piece

SPECIAL PRODUCT NOTE

Minimum bed depth for
all Chunks is 1 ft

Outcroppings

5" - 6" thick

6" - 8.5" thick

8.5" - 9.5" thick
(Pictured at right)

9.5" - 10.5" thick

10.5" - 12" thick



Erosion Control Chunks

Stream Restoration Stone

Available in 16" or 25"
thickness



Accent Boulders

**Price Point to
Complete Loads**

2' - 5' diameter

1-4 pieces per pallet



Flagging

Large Flagging

3" - 4" thick
(18"-30" Diameter)

Jumbo Flagging

3.5"-4.5" thick

Double Stack
20" - 28" Diameter

Single Stack
30" - 48" Diameter
(Pictured at right)



*Combine with Canyon
Gray/Tan & Indiana
Limestone for Full Loads*



Canyon Gray Split Products

Quality, Consistency, & Integrity that you can always depend on.

Cut/Dry Wall



3" thick

(Pictured at left)

4" thick

6" thick

Random lengths

Snapped/Split Steps

6" thick + or -



24" x 18" deep @ 225# ea.

(Pictured at left)

18 per 2 ton pallet



30" x 18" deep @ 275# ea.

(Pictured at left)

14 per 2 ton pallet



36" x 18" deep @ 345# ea.

(Pictured at left)

12 per 2 ton pallet



48" x 18" deep @ 450# ea.

(Pictured at left)

9 per 2 ton pallet

Custom Sizes Available

SPECIAL PRODUCT NOTE

Bed depth for all Cut/
Dry Wall is 8"

Stone Family Details

Canyon Gray Split Products are available as both stock and custom items. Special order products include:

Veneer • Coping • Edging •
Wall Caps • Column Caps

*Combine with Canyon
Gray/Tan & Indiana
Limestone for Full Loads*





SPECIAL PRODUCT NOTE

Snapped 2 sides for easy installation. Compares to concrete products, but maintains uniformity in the use of natural stone products in your design.

Building Blocks

12" thick x 18" deep

Random lengths



SPECIAL PRODUCT NOTE

Fire Pit Kit Dimensions
5' - 6' inside diameter =
1 ton 6" x 8" Cut Wall
@ 2 courses high

A cutoff saw is
recommended for
tighter joints.

A steel liner is required

Edging
6" x 5" Snapped Edging



Fire Pit Kits

6" x 8" Cut Wall

(Pictured below)



3 Piece Bench Kits

3' & 4' lengths

(Pictured below)



Canyon Tan

Quality, Consistency, & Integrity that you can always depend on.

Outcroppings/ Chunks

16" thick
(Pictured at left)



Stone Family Details

Canyon Tan is a light tan limestone specializing in 16" Outcroppings/Chunks, 25" Erosion Control Chunks, and Accent Boulders which feature a flat bottom

Erosion Control Chunks

Stream Restoration Stone

Available in 16" & 25"
thickness



SPECIAL PRODUCT NOTE

Our Stream Restoration Stone is the natural choice for your erosion control projects.

1,500 lb to 6,000 lb per piece

Accent Boulders

2' - 5' diameter
1-4 pieces per pallet



Price Point to
Complete Loads

*Combine with Canyon
Gray/Tan & Indiana
Limestone for Full Loads*





Decorative Aggregates Available in 5 sizes



Extra Small

1/16" - 3/16" diameter



Small

1/8" - 3/8" diameter



*Bagged product can ship
with other palletized
products for maximum
profitability!*

Large

3/4" - 1.5" diameter



Extra Large

4" - 7" diameter



Medium

(3/16" - 1" diameter not shown)

Jumbo

(5" - 12" diameter not shown)



Elliott's Indiana Limestone

Quality, Consistency, & Integrity that you can always depend on.

Stone Family Details

The Indiana Limestone that Ohio Stone processes contains a full range of color including light to dark ranges of buff or gray and a mixture of both colors in one piece.



Indiana Limestone Cut/Drywall

Custom Sizes Available

3" x 8"
(Shown at Left)

6" x 8"

Indiana Limestone Snapped Face 3" Pier Caps

Custom Sizes Available

18" x 18" @ 87# ea

20" x 20" @ 108# ea

24" x 24" @ 155# ea

26" x 26" @ 182# ea

28" x 28" @ 210# ea
(Shown at Left)

30" x 30" @ 242# ea

32" x 32" @ 270# ea

36" x 36" @ 345# ea

Quarried By Elliott Stone Processed by Ohio Stone, Inc.

Indiana Limestone 6" Snapped Steps

4 Stock Sizes

2' x 18" @ 225#

3' x 18" @ 340#

4' x 18" @ 450#

(Shown Below)

5' x 18" @ 565#

Custom Sizes Available





All of the products on these pages are Snapped Faced and processed at our Canyon Gray/Tan Quarry which includes:

- Sizing
- Grading
- Snapping
- Tumbling
- Cutting
- Final Inspection
- Palletizing
- Shipping

Tumbled Indiana Limestone

*2" Tumbled Weathered Edge
Wall Stone - Patio Stone
5" to 12" avg. diameter
3,000 pound pallet standard*



*Combine with Canyon
Gray/Tan for Full Loads*



Tumbled Indiana Limestone Cut/Drywall

Custom Sizes Available

3" x 8"

(Shown at top right)

6" x 8"

(Shown at bottom right)



Tumbled Indiana Limestone Edging

6" x 5" Random Lengths



Gray Gorge

Quality, Consistency, & Integrity that you can always depend on.



Steppers

1"-2" thick
8"-36" Diameter



Select Wall Stone 2"

1.75"-2.5" thick
(Pictured at left)

Select Wall Stone 3"

2.5"-3.5" thick

Select Wall Stone 4"

3.5"-4.5" thick



Irregular Wall Stone

1"-3" thick
(Pictured at left)

3"-5" thick



Flagging

Thin Large Flagging

1.5"-2.5" thick
15"-48" Diameter
(Pictured at left)

Regular Large Flagging

2.5"-3.25" thick
15"-48" Diameter

Stone Family Details

Gray Gorge is our oldest running product family. It is found in our first quarry and is a blue-gray dolomite stone that includes boulders, steppers, irregular wall stone, select wall stone, flagging, and outcropping.

SPECIAL PRODUCT NOTE

Minimum bed depth for all Wall Stone is 5"

SPECIAL PRODUCT NOTE

Select Wall Stone vs. Irregular Wall Stone

Select is hand sorted and measured to be within 1/2" tolerance throughout the entire pallet.

Irregular is randomly stacked in 2 thicknesses

Combine with Gray Gorge & River Jacks or Cobbles for Full Loads





SPECIAL PRODUCT NOTE

Minimum bed depth for
all Outcropping is 1 ft

Outcroppings

4"-10" thick



Boulders

Available in Varying Sizes



**Price Point to
Complete Loads**

River Jacks/Cobbles

smooth boulders available in a full spectrum of earth-tone colors.

There are 2 sizes and 3 options to choose from.



Medium,
4"-8" Cobbles

Large,
6"-15" Cobbles
(pictured at left)

Bulk,
Various Sized Cobbles



Rustic Buff

Quality, Consistency, & Integrity that you can always depend on.



Wall Stones

Select Thick 3"

3.5" - 4" thick
(Pictured at left)

Select Wall Stone 4"

4" - 4.75" thick

Select Wall Stone 5"

4.75" - 5.5" thick



Flagging

Large Flagging

3.5" - 3.75" thick

Jumbo Flagging

3.5" - 4.25" thick

Double Stack

20" - 28" Diameter

Single Stack

30" - 48" Diameter

(Pictured at left)



Lil' Chunkies

5" - 9" thick

(7" - 8" Pictured at left)

Order in 1" thick increments



Outcroppings

5" - 6" thick

6" - 8.5" thick

8.5" - 9.5" thick

9.5" - 10.5" thick

(Pictured at left)

10.5" - 12" thick

Stone Family Details

Rustic Buff is a limestone varying in color from a golden yellow to a light orange, specializing in thicker stone that we categorize in 1 inch thick increments.

SPECIAL PRODUCT NOTE

Minimum bed depth for all Wall Stone is 5"

SPECIAL PRODUCT NOTE

Minimum bed depth for all Chunkies is 6"

SPECIAL PRODUCT NOTE

Minimum bed depth for all Outcroppings is 1 ft



SPECIAL PRODUCT NOTE

Snapped 2 sides for easy installation. Compares to concrete products, but maintains uniformity in the use of natural stone products in your design.

Cut Split/Products

Cut/DryWall

5" x 8"
6" x 8"

Random lengths



Edging

4" x 5"
5" x 5"
6" x 5"

8" - 14" lengths



SPECIAL PRODUCT NOTE

Minimum bed depth for all Chunks is 1 ft

Chunks

11" - 16" thick

(13"-14" Pictured at right)

Order in 1" thick increments



SPECIAL PRODUCT NOTE

Minimum bed depth for all Benches is 1 ft

Building Blocks / Benches

11" - 16" thick

(13" Pictured at right)

Order in 1" thick increments



Accent Chunks

Various thickness 11"-16"



Price Point to Complete Loads

Southern Buff

Quality, Consistency, & Integrity that you can always depend on.



Wall Stones
Select Wall Stone 2"
1.75"-2.5" thick



Select Wall Stone 3"
2.5"-3.5" thick
(Pictured at left)

Select Thick 3"
3.5"-4" thick

Select Wall Stone 4"
4.0" - 4.75" thick

Select Wall Stone 5"
4.75" - 5" thick

Irregular Wall Stone
1.75" - 3.5" thick
(Pictured at left)



Steppers/Shims
1" - 2" thick
8" - 28" diameter
(Pictured at left)

Flagging

Thin Large Flagging
1.5"-2.5" thick
15"-48" Diameter



Regular Large Flagging
2.5"-3.25" thick
15"-48" Diameter
(Pictured at left)

Stone Family Details

Southern Buff is a limestone varying in coloration from a light brown to a full spectrum of earth tones, and is ideal for all landscaping applications

SPECIAL PRODUCT NOTE

Minimum bed depth for all Wall Stone is 5"

SPECIAL PRODUCT NOTE

Select Wall Stone vs. Irregular Wall Stone

Select is hand sorted and measured to be within 1/2" tolerance throughout the entire pallet.

Irregular is randomly stacked in 2 thicknesses





SPECIAL PRODUCT NOTE

Flagging Single Stack vs. Double Stack

Single Stack is 1 piece per course on the pallet.

Double Stack is 2 pieces per course on the pallet.

SPECIAL PRODUCT NOTE

Minimum bed depth for all Outcroppings is 1 ft

SPECIAL PRODUCT NOTE

Slabs vs. Outcroppings

Slabs are 1 piece per course on the pallet and are used for #2 step treads or high retaining walls.

Outcroppings are 2-3 pieces per course on the pallet and maximizes the linear footage per ton.

Flagging

Jumbo Flagging

3.5" - 4.25" thick

Double Stack

20" - 28" Diameter
(Pictured at right)

Single Stack

30" - 48" Diameter



Outcroppings/Slabs

4" - 6" thick

6" - 8.5" thick

8.5" - 9.5" thick
(Pictured at right)

9.5" - 10.5" thick

10.5" - 12" thick



Chunks

11" - 15" thick

(12" Pictured at right)

Order in 1" thick increments



Erosion Control

Chunks

Stream Restoration Stone

22" to 25" thickness

**Price Point to
Complete Loads**



Rustic Buff Beige

Quality, Consistency, & Integrity that you can always depend on.



Outcroppings

5" - 6" thick

6" - 8.5" thick

(Pictured at top left)

8.5" - 9.5" thick

(Pictured at bottom left)

9.5" - 10.5" thick


10.5" - 12" thick

Stone Family Details

Rustic Buff Beige is a limestone varying in coloration from light tan to a brown with buff streaks/highlights throughout.

Chunks

11" - 18" Random Heights & Lengths



Combine all items on this page with Rustic Buff for Full Loads!

Rustic Buff Decorative Stackable Rip Rap

Bagged product can ship with other palletized products for maximum profitability!



4" - 10" Stackable Rip Rap



8" - 20" Stackable Rip Rap



16" - 32" Stackable Rip Rap